

# Barfield's New State-of-the-Art CABLE TENSIO METER

## Special New and Innovative Features!

- ◆ Digital readout
- ◆ Simple 3 button operation
- ◆ Long lasting rechargeable battery
- ◆ High Accuracy
- ◆ Single and multiple cable versions
- ◆ Ambient temperature reading



Revolutionary Design!

T A T G R O U P

**barfield**   
a Sabena technics company

[www.barfieldinc.com](http://www.barfieldinc.com)

## Cable Tensiometer Model CT12A

Model Number	Description	For Use on Cable Size	Range in Pounds	Riser Position Used
102-03101	Single Cable Tensiometer for 1/16" Diameter	1/16"	25 - 300	NA
102-03102	Single Cable Tensiometer for 3/32" Diameter	3/32"	25 - 400	NA
102-03103	Single Cable Tensiometer for 1/8" Diameter	1/8"	25 - 600	NA
102-03104	Single Cable Tensiometer for 5/32" Diameter	5/32"	25 - 700	NA
102-03105	Single Cable Tensiometer for 3/16" Diameter	3/16"	50 - 500	NA
102-03111	Single Cable Tensiometer for 3/16" Diameter	3/16"	50 - 800	NA
102-03106	Single Cable Tensiometer for 7/32" Diameter	7/32"	50 - 900	NA
102-03107	Single Cable Tensiometer for 1/4" Diameter	1/4"	50 - 1000	NA
102-03110	High Accuracy General Multi-Cable Tensiometer (1-3)	1/16"	25 - 300	1
		3/32"	25 - 400	1
		1/8"	25 - 600	2
		5/32"	25 - 700	2
		3/16"	50 - 500	3
102-03108	General Multi-Cable Tensiometer (1-4) Extended Range	1/16"	25 - 300	1
		3/32"	25 - 400	1
		1/8"	25 - 600	2
		5/32"	25 - 700	2
		3/16"	50 - 800	3
		7/32"	50 - 900	3
		1/4"	50 - 1000	4



4101 NW 29th Street  
Miami, FL 33142

### Cable Tensiometer Specifications

- ◆ Provides accurate and precise readings in Pounds over a wide range of cable sizes from 1/16" to 1/4" (US Std)
- ◆ Rugged ergonomic design
- ◆ Single cable size or rotating head, which covers complete range
- ◆ Operating temperatures range from 14°F(-10°C) to 120°F (50°C)
- ◆ 4 digits LCD display with selectable backlight

For more information please contact Barfield's Ground Support Test Equipment Sales Representatives @ 305-894-5400 or visit our website at [www.barfieldinc.com](http://www.barfieldinc.com)