

CT12A



Digital Cable Tensiometer

- Meets newly released OEM standards
- Single or multi-cable measurements
 - High accuracy

T A T G R O U P

www.barfieldinc.com

barfield 
a Sabena technics company

Your success is our concern

Cable Tensiometer Model CT12A

Model Number	Description	For Use on Cable Size	Range in Pounds	Riser Position Used
102-03101	Single Cable Tensiometer for 1/16" Diameter	1/16"	25 - 200	NA
102-03102	Single Cable Tensiometer for 3/32" Diameter	3/32"	25 - 300	NA
102-03103	Single Cable Tensiometer for 1/8" Diameter	1/8"	25 - 400	NA
102-03104	Single Cable Tensiometer for 5/32" Diameter	5/32"	25 - 400	NA
102-03105	Single Cable Tensiometer for 3/16" Diameter	3/16"	50 - 500	NA
102-03106	Single Cable Tensiometer for 7/32" Diameter	7/32"	50 - 900	NA
102-03107	Single Cable Tensiometer for 1/4" Diameter	1/4"	50 - 1000	NA
102-03108	Extended Range Multi-Cable Tensiometer	1/16"	25 - 300	1
		3/32"	25 - 400	1
		1/8"	50 - 600	2
		5/32"	25 - 700	2
		3/16"	50 - 600	3
		7/32"	50 - 900	3
102-03120	High Accuracy Multi-Cable Tensiometer	1/4"	50 - 1000	4
		1/16"	25 -200	1
		3/32"	25 - 300	1
		1/8"	25 - 400	2
		5/32"	25 - 400	2
		3/16"	50 - 500	3

Cable Tensiometer Specifications

- Provides accurate & precise readings in Pounds over a wide range of cable sizes from 1/16" to 1/4" (US Std)
- Rugged ergonomic design
- Single cable size or rotating head that covers a complete range of 1/16" to 1/4" or 1/16" to 3/16" (US Std)
- Operating temperatures range from 14°F (-10°C) to 120°F (50°C)
- 4-digit LCD display with selectable backlight

AIRCRAFT MAINTENANCE REPAIR OVERHAUL & SUPPORT

Barfield 4101 NW 29th Street - Miami, FL 33142
Phone: +1 305 894 5400 Fax: +1 305 894 5401
www.barfieldinc.com

ISO 9001-2000 and AS9100 Certified

T A T G R O U P